

R15

Code No: 123AH

JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY HYDERABAD

B. Tech II Year I Semester Examinations, November/December - 2017

MATHEMATICS – III

(Common to EEE, ECE, EIE, ETM)

Time: 3 Hours

Max. Marks: 75

Note: This question paper contains two parts A and B.

Part A is compulsory which carries 25 marks. Answer all questions in Part A.

Part B consists of 5 Units. Answer any one full question from each unit.

Each question carries 10 marks and may have a, b, c as sub questions.

PART-A

(25 Marks)

- 1.a) Solve $(D^4 + 13D^2 + 36)y = 0$. [2]
- b) Find the P.I of $(D^2 + 4)y = \cos 2x$. [3]
- c) Prove that $P_n'(1) = \frac{1}{2}n(n+1)$. [2]
- d) Prove that $\int x J_0^2(x) dx = \frac{1}{2}x^2 [J_0^2(x) - J_1^2(x)]$. [3]
- e) If $u = e^x(x \cos y - y \sin y)$ then find analytic function of $f(z)$. [2]
- f) Evaluate $\int_0^{1+i} (x^2 - iy) dz$ along the path $y = x^2$. [3]
- g) Expand $f(z) = \frac{z+3}{z(z^2-z-2)}$ for $|z| > 2$. [2]
- h) Find the residue of $f(z) = \frac{e^z}{(z-1)^2}$ at the singular point. [3]
- i) Find the fixed points of $w = \frac{3z-2}{z+1}$. [2]
- j) Prove that $w = \frac{1}{z}$ is circle preserving. [3]

PART-B

(50 Marks)

- 2.a) Solve $(D+2)(D-1)^2 = e^{-2x} + 2 \sinh x$. [5+5]
- b) Solve $(1+x)^2 \frac{d^2 y}{dx^2} + (1+x) \frac{dy}{dx} + y = 4 \cos \log(1+x)$.

OR

3. Obtain the series solution of the equation $x^2 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} + (x^2 - 4)y = 0$ [10]

4.a) Prove that $\int_{-1}^1 P_m(x)P_n(x)dx = \begin{cases} 0 & \text{if } m \neq n \\ \frac{2}{2n+1}, & \text{if } m=n \end{cases}$

b) Show that $\frac{2}{5}P_3(x) + \frac{3}{5}P_1(x) = x^3$. [5+5]

OR

5.a) Prove that $\frac{d}{dx} [J_n^2(x) + J_{n+1}^2(x)] = 2 \left[\frac{n}{x} J_n^2(x) - \frac{(n+1)}{x} J_{n+1}^2(x) \right]$.

b) Show that $\left[J_{\frac{1}{2}}(x) \right]^2 + \left[J_{\frac{-1}{2}}(x) \right]^2 = \frac{2}{\pi x}$. [5+5]

6.a) Prove that the function of $f(z)$ defined by

$$f(z) = \frac{x^3(1+x) - y^3(1-i)}{x^2 + y^2}, z \neq 0$$

$$= 0, \quad z = 0$$

is continuous and C – R equations at the origin, yet $f'(0)$ does not exist.

b) If $f(z)$ is an analytic function of z , prove that $\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} \right) |f(z)|^2 = 4|f'(z)|^2$. [5+5]

OR

7.a) Evaluate $\int_c \frac{z+4}{z^2+2z+5} dz$ where c is the circle.

i) $|z+1-i|=2$

ii) $|z+1+i|=2$

b) State and prove Cauchy's inequalities. [5+5]

8.a) State and prove residue theorem.

b) Evaluate $\int_0^\pi \frac{a d\theta}{a^2 + \sin^2 \theta}$ ($a > 0$). [5+5]

OR

9.a) Evaluate $\int_0^\infty \frac{dx}{x^4 + a^4}$ ($a > 0$).

b) Prove that $\int_0^\infty \frac{\sin mx}{x} dx = \frac{\pi}{2}$. [5+5]

10.a) Plot the image of $1 < |z| < 2$ under the transformation $w = 2iz + 1$.

b) Find the graph of the region $\frac{-\pi}{2} < x < \frac{\pi}{2}$, $1 < y < 2$ under the mapping $w = \sin z$. [5+5]

OR

11.a) Find the image of the region in the z -plane between the lines $y=0$ and $y = \frac{\pi}{2}$ under the transformation $w = e^z$.

b) Find the bilinear transformation which maps the points $\infty, i, 0$ in the z -plane into $-1, -i, 1$ in the w -plane. [5+5]